

MDS

[mds-int.net](http://www.mds-int.net)

M615 TROMMEL

<http://www.mds-int.net>



**Drummond, Magheracloone
A81 TE82, Carrickmacross
Co. Monaghan, IRELAND**


**TEL: +353 42 966 7899
EMAIL: info@mds-int.net
WEB: www.mds-int.net**

    / **MDSInternational**

The M615 Modular Trommel is capable of screening material at the rate of approximately 500 tons per hour with a max rock size of 750 mm (30"). It is ideal for use in cleaning dirty rock or screening blasted material. With 3 possible configurations, our modular trommel covers many applications. The M615 comes with 4 splits as standard.


TECHNICAL SPECIFICATIONS

TRANSPORT DIMENSIONS



PERFECT FOR CLEANING DIRTY MATERIAL

**MAX ROCK SIZE:
750 mm (30")**




**HYDRAULIC
PUSH
FEEDER**

**96 kW (130 HP)
CAT ENGINE**

CHOICE OF DIFFERENT BASES

WORKING DIMENSIONS




**WASHING
CHUTES**



**INCLUDES SPRAY BAR
SYSTEM AND COLLECTION
TRAY FOR WASHED MATERIAL**

**CONCRETE
WALLS**

**CREATE LARGER
STOCKPILES AND
FEED WITH DUMP
TRUCKS USING
CONCRETE WALLS**



**STANDARD
BASE**











**IDEAL FOR
QUICK SET UP AND
PORTABLE FROM SITE TO SITE**

MACHINE SPECIFICATIONS

Approx Tons per Hour :	350 to 500 tons	Weight :	35 tons
Drum Diameter :	1.5 m (4 ft 11")	Max Rock Size :	750 mm (30")
Drum Length :	6 m (19 ft 8")	Hopper Capacity :	30 tons
Number of Outputs :	4 off	Feed Mechanisms :	Hydraulic Push Feeder
		Engine and Controls :	Cat 4.4 / Electronic Control System



MDS TROMMEL RANGE

MODEL	Tons per Hour	Drum Diameter	Drum Length	Number of Outputs	Screen Openings	Hopper Capacity	Feed Mechanism	Engine and Controls
MDS M412 TROMMEL Mobile track machine for use with primary blast, dirty material or rip rap								
	250 to 300 tons	1.25 m (4 ft 1")	4 m (13 ft 1")	2 off	25 mm to 200 mm (1" to 8")	12 Tons	Hydraulic Push Feeder	Cat 2.2 / Electronic Control System
MDS M515 TROMMEL Mobile track machine for use with primary blast, dirty material or rip rap								
	350 to 500 tons	1.5 m (4 ft 11")	5 m (16 ft 5")	3 off	25 mm to 460 mm (1" to 18")	30 tons	Hydraulic Push Feeder	Cat 4.4 / Electronic Control System
MDS M615 STATIC TROMMEL Semi mobile machine which can be moved from site to site and can be loaded by an excavator or dump truck								
	350 to 500 tons	1.5 m (4 ft 11")	6 m (19 ft 8")	4 off	25 mm to 500 mm (1" to 20")	30 tons	Hydraulic Push Feeder	Cat 4.4 / Electronic Control System
MDS M820 TROMMEL A large heavy duty static rock trommel ideal for cleaning dirty rock or screening blasted material								
	750 tons	2 m (6 ft 7")	8 m (26 ft 3")	3 or 4 off	25 mm to 600 mm (1" to 24")	70 tons	Hydraulic Push Feeder	CAT 7.1 / Electronic Control System
MDS M825 TROMMEL A super sized heavy duty static trommel for maximum output. It can be set up on concrete walls or a metal chutes structure								
	1000 tons	2.5 m (8 ft 2")	8 m (26 ft 3")	3 off	70 mm to 600 mm (3" to 24")	100 tons	Hydraulic Push Feeder	Cat 6.6 / Electronic Control System
MDS M520R TROMMEL A static trommel ideal for compost or light recycling								
	15 tons	2 m (6 ft 7")	5 m (16 ft 5")	2 off	5 mm to 50 mm (0.2" to 2")	X	X	2 off 3 kW Motors (4 HP)
MDS M820R TROMMEL A tough static machine built for recycling concrete and demolition or any heavy duty recycling								
	50 tons	2 m (6 ft 7")	8 m (26 ft 3")	2 or 3 off	10 mm to 250 mm (0.4" to 10")	X	X	2 off 15 kW Motors (20 HP)
MDS APRON FEEDERS Manufactured to your requirements								
QUARRY FEEDER				MINING FEEDER	