

THOR[®]
GLOBAL

STACKER

TELESCOPIC PORTABLE
RADIAL CONVEYOR



MOVE
MOUNTAINS.

FEATURES


THE MOST ALL-INCLUSIVE,
HIGH-END TELESCOPIC CONVEYOR ON THE MARKET.

STANDARD FEATURES

- FLEXCO EZP1 PRIMARY SCRAPER WITH URETHANE BLADE & TENSIONER
- BELT SPLICE: VULCANIZED
- CONTACTORS: IEC
- GEAR REDUCERS: CLASS 2
- IDLERS: CEMA C
- SAFETY GUARDING
- STEEL: 60,000 PSI
- TAIL PULLEY KICKER BAR

OPTIONAL FEATURES


- ANCHOR PAD
- COLOUR: CUSTOM
- DUAL DRIVE
- GALVANIZING: HOT-DIP
- BELT SCALE
- HOPPER LINING
- IMPACT BED
- WIRELESS REMOTE CONTROL
- PROGRAM PACKAGE: ZERO SEG
- HYDRAULIC PUSH DOWN AXLE
- TOW HITCH
- TRANSPORT LANDING LEGS: HYDRAULIC
- WIRE REMOTE TOUCH SCREEN: Dual
- WIRELESS REMOTE CONTROL
- TRAINING: ONSITE
- THIRD AUXILIARY AXLE



SPECIFICATIONS

CONVEYOR DIMENSIONS

MODEL	BELT WIDTH	LENGTH	CAPACITY
T110x36-0800	900 mm	33 m	725 MTPH
T130x36-0800/1000	900 mm	40 m	725/900 MTPH
T150x36-0800/1000	900 mm	45 m	725/900 MTPH
T170x36-0800/1000	900 mm	52 m	725/900 MTPH
T190x36-0800/1000	900 mm	58 m	725/900 MTPH
T130x42-1200/1500	1050 mm	40 m	1100/1350 MTPH
T150x42-1200/1500	1050 mm	45 m	1100/1350 MTPH
T170x42-1200/1500	1050 mm	52 m	1100/1350 MTPH
T190x42-1200/1500	1050 mm	58 m	1100/1350 MTPH
T130x48-2000	1200 mm	40 m	1800 MTPH
T150x48-2000	1200 mm	45 m	1800 MTPH
T170x48-1500/2000	1200 mm	52 m	1350/1800 MTPH
T190x48-2000	1200 mm	58 m	1800 MTPH
T150x54-2000	1400 mm	45 m	1800 MTPH
T170x54-2000	1400 mm	52 m	1800 MTPH



STOCKPILE SPECIFICATIONS

MODEL	A	B	C	D	E	F	G
T110x36-0800	89.7m	71.3m	50.9m	33.5m	38.5m	58.3m	80.5m
T130x36-0800	104.5m	82.8m	58.7m	37.5m	43.7m	67.4m	93.7m
T150x36-0800/1000	125.8m	100.9m	73.3m	47.9m	55.2m	83.3m	113.4m
T170x36-0800/1000	138.8m	110.1m	78.3m	51.9m	59.3m	86.8m	124.4m
T190x36-0800/1000	154.1m	122.4m	87.2m	57.5m	65.9m	99.9m	138.2m
T130x42-1200/1500	104.5m	82.8m	58.7m	37.5m	43.7m	67.4m	93.7m
T150x42-1200/1500	123.1m	97.9m	70.0m	45.0m	52.3m	80.1m	110.5m
T170x42-1200/1500	136.9m	108.6m	77.2m	51.0m	58.4m	88.6m	122.8m
T190x42-1200/1500	154.8m	123.0m	87.7m	56.8m	65.7m	100.4m	138.9m
T130x48-2000	108.2m	86.3m	62.1m	40.6m	46.9m	70.9m	97.2m
T150x48-2000	122.9m	97.6m	69.7m	44.8m	52.0m	79.8m	110.3m
T170x48-1500/2000	137.5m	109.2m	77.9m	49.2m	57.7m	89.3m	123.3m
T190x48-2000	158.7m	126.8m	91.4m	57.8m	67.9m	104.2m	142.7m
T150x54-2000	125.6m	100.4m	72.5m	45.1m	53.1m	82.6m	113.0m
T170x54-2000	137.2m	108.9m	77.5m	48.5m	57.1m	88.9m	123.0m

STOCKPILE CAPACITIES

MODEL	BELT WIDTH	45°	90°	180°	270°	For Each Additional 1°
T110x36-0800	900mm	6,357.6 m ³ 11,225 T	10,436.1 m ³ 18,428 T	18,595.1 m ³ 32,833 T	26,753.2 m ³ 47,238 T	90.6 m ³ 160 T
T130x36-0800	900mm	9,316.6 m ³ 16,450 T	15,399.2 m ³ 27,191 T	27,564.0 m ³ 48,671 T	39,729.4 m ³ 70,152 T	135.2 m ³ 238 T
T150x36-0800/1000	900mm	19,392.0 m ³ 34,241 T	31,292.2 m ³ 55,254 T	55,093.0 m ³ 97,280 T	78,893.8 m ³ 139,305 T	264.4 m ³ 466 T
T170x36-0800/1000	900mm	23,102.3 m ³ 40,792 T	38,072.2 m ³ 67,225 T	68,011.5 m ³ 120,091 T	97,951.0 m ³ 172,958 T	332.7 m ³ 587 T
T190x36-0800/1000	900mm	31,866.2 m ³ 56,267 T	52,413.9 m ³ 92,549 T	93,509.5 m ³ 165,114 T	134,605.7 m ³ 237,680 T	456.6 m ³ 806 T
T130x42-1200/1500	1050mm	9,316.6 m ³ 16,450 T	15,399.2 m ³ 27,191 T	27,564.0 m ³ 48,671 T	39,729.4 m ³ 70,152 T	135.2 m ³ 238 T
T150x42-1200/1500	1050mm	16,165.7 m ³ 28,544 T	26,491.1 m ³ 46,777 T	47,144.4 m ³ 83,245 T	67,804.2 m ³ 119,712 T	229.5 m ³ 405 T
T170x42-1200/1500	1050mm	22,071.3 m ³ 38,972 T	36,385.8 m ³ 64,247 T	65,013.2 m ³ 114,797 T	93,640.6 m ³ 165,347 T	318.1 m ³ 561 T
T190x42-1200/1500	1050mm	31,884.7 m ³ 56,299 T	52,402.0 m ³ 92,529 T	93,438.7 m ³ 164,989 T	134,475.3 m ³ 237,449 T	456.0 m ³ 805 T
T130x48-2000	1200mm	11,682.7 m ³ 20,628 T	19,013.4 m ³ 33,573 T	33,675.0 m ³ 59,463 T	48,336.7 m ³ 85,354 T	162.9 m ³ 287 T
T150x48-2000	1200mm	15,917.2 m ³ 28,106 T	26,129.0 m ³ 46,138 T	46,553.1 m ³ 82,202 T	66,977.3 m ³ 118,266 T	226.9 m ³ 400 T
T170x48-1500/2000	1200mm	21,810.6 m ³ 38,509 T	35,799.9 m ³ 63,213 T	63,780.7 m ³ 112,620 T	91,761.6 m ³ 162,027 T	311.0 m ³ 548 T
T190x48-2000	1200mm	35,793.1 m ³ 63,201 T	58,140.7 m ³ 102,662 T	102,838.6 m ³ 181,586 T	147,535.9 m ³ 260,510 T	496.7 m ³ 877 T
T150x54-2000	1350mm	17,143.2 m ³ 30,270 T	27,793.7 m ³ 49,074 T	49,092.4 m ³ 86,683 T	70,391.1 m ³ 124,293 T	236.6 m ³ 417 T
T170x54-2000	1350mm	21,168.7 m ³ 37,380 T	34,807.0 m ³ 61,461 T	62,082.8 m ³ 109,622 T	89,358.5 m ³ 157,783 T	303.1 m ³ 535 T